ORDER FOR SUPPLIES OR SERVICES										<b>PAGE 1 OF</b> 10		
1. CONTRACT PURCH ORDER/AGREEMENT NO.  DAAE 20-03-G-0001  2. DELIVERY ORDER/CA					/CALL NO.	3. DATE OF ORD (YYYYMMMDD) 2003SEP09	ER/CALL 4. REQUISITION/PURCH RE SEE SCHEDULE			QUEST NO.	5. PRIORITY DOA5	
6. ISSUED BY CODE W52H09 7. ADM						7. ADMINIST	ERED BY (If other t	han 6)	SEE S	0107A	8. DELIVERY FOB	
JOSE OLIVA (309)782-3411 BLI ROCK ISLAND IL 61299-7630 MAF							A HUNTSVILLE 3 4505 SUITE 301 PAS: NONE  ADP PT: HO0338				3.8	DESTINATION  X OTHER  (See Schedule if other)
9. CONTR	ACTOR			CODE	24290	FACIL		10. DF		OB POINT BY (Date)		11. X IF BUSINESS IS
	•						•	(Y	YYYMMMDI	<b>D</b> )		SMALL
	PEI EI 110 WY		RONICS, INC. DRIVE					SEE		SMALL		
NAME AND ADDRESS		'ILI	E, AL. 35805-09	927				12. DI		DISADVANTAGED WOMAN-OWNED		
	•						•	13. M	AIL INVOICE	S TO THE ADDRESS	IN BLOCK	
		USI	NESS: Large Bus		erforming				Block 15			
14. SHIP T	SCHEDULE			CODE		DFA DFA P O	F WILL BE MADE BY  S COLUMBUS CENTER S-CO/SOUTH ENTITLEMENT OPERATION BOX 182264 UMBUS OH 43218-2264					MARK ALL PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2
16. TYPE	DELIVERY/ CALL	х	THIS DELIVERY ORDER IS ISSUED ON ANOTHER GOVERNMENT AGENCY OR IN ACCORDANCE WITH AND SUBJECT TO TERMS AND CONDITIONS OF ABOUT									E NUMBERED CONTRACT.
OF ORDER	PURCHASE		Reference your Oral Written Quotation, Dated furnish the following on terms specified herein.					ated				
			ACCEPTANCE. THE BEEN OR IS NOW M									MAY PREVIOUSLY HAVE ME.
NAME OF CONTRACTOR SIGNATURE  If this box is marked, supplier must sign Acceptance and return the following number of cop							opies:	TYPED NAME AND TITLE DATE SIGNED (YYYYMMMDD)  pies:				
	SCHEDULE	APP	ROPRIATION DATA/L(	JCAL USE								
18. ITEM	NO. 19. So	CHE	DULE OF SUPPLIES/SF	ERVICE			20. QUANTITY ORDERED/ ACCEPTED*	•	21. UNIT	22. UNIT PRICE	23. AMOUNT	
	CON' F: KINI Se	rrac irm O Ol	HEDULE CT TYPE: -Fixed-Price  F CONTRACT: ice Contracts ly Contracts and	d Price	d Orders							
	accepted by the			4. UNITED	STATES OF A	AMERICA RIVARD /SI	CNED /		•		25. TOTAL 26.	\$78,675.00
If differen		ıanti	ty accepted below	BY:			ILS <b>1302</b> 0782-3	272 CON	DIFFERENCES	S		
	NTITY IN COL		20 HAS BEEN									
b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE							c. DATE					
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE						VE	28. SHIP. NO.	28. SHIP. NO. 29. D.O. VOUCHER NO.			30. INITIALS	
							32. PAID BY			33. AMOUNT V	VERIFIED CORRECT FOR	
f. TELEPHONE NUMBER g. E-MAIL ADDRESS							PARTIAL 53.1 SIDE			CONTENTO ON TO		
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.						4	31. PAYMENT 34. CHECK NUMBER			JMBER		
a. DATE b. SIGNATURE AND TITLE OF CERTIFYING OFFICER							COMPLETE  35. BILL OF LADING NO.				ADING NO.	
(YYYYMMMDD)							PARTIA FINAL	i				
37. RECEIVED AT  38. RECEIVED BY (Print)  39. DATE RECEIVED (YYYYMMMDD)					40. TOTAL CO TAINERS	N-	41. S/R ACCOUNT NUMBER 42. S/R VOUCHER NO.			IER NO.		

## Reference No. of Document Being Continued

PIIN/SIIN DAAE20-03-G-0001/0009

MOD/AMD

Page 2 of 10

Name of Offeror or Contractor: PEI ELECTRONICS, INC.

#### SUPPLEMENTAL INFORMATION

1. THIS DELIVERY ORDER IS FOR FIVE (5) EACH FIXTURE ASSEMBLIES, NSN: 4920-01-451-5787, PART NUMBER 12972168 AS SPECIFIED IN SECTION B OF THIS DELIVERY ORDER. THERE IS ONE (1) ONE HUNDRED PERCENT OPTION REQUIRED WITH THIS DELIVERY ORDER.

ALL PRICES CONTAINED HEREIN ARE FIRM.

- 2. DELIVERY IS AS SET FORTH IN THE SCHEDULE. EARLY AND PARTIAL DELIVERIES ARE AUTHORIZED.
- 3. CONTRACT CLAUSES:
  - A. ALL MANDATORY CLAUSES ARE INCORPORATED BY REFERENCE.
  - B. MANDATORY FOR FIRM FIXED PRICE SUPPLY CONTRACTS ONLY: PAGE 27
  - C. OPTIONAL CLAUSES: PAGES 28 & 29
  - D. OPTIONAL FOR FIRM FIXED PRICE SUPPLY CONTRACTS ONLY: PAGE 29 & 30
  - E. ADDITIONAL CLAUSES HAVE BEEN ADDED TO THIS DELIVERY ORDER.

\*\*\* END OF NARRATIVE A 001 \*\*\*

# Reference No. of Document Being Continued PIIN/SIIN DAAE20-03-G-0001/0009 MOD/AMD

**Page** 3 **of** 10

Name of Offeror or Contractor: PEI ELECTRONICS, INC.

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	NSN: 4920-01-451-5787 FSCM: 19200 PART NR: 12972168 SECURITY CLASS: Unclassified				
0001AA	PRODUCTION QUANTITY	5	EA	\$ 15,735.00000	\$ 78,675.00
	NOUN: FIXTURE ASSEMBLY, TE PRON: M1310644M1 PRON AMD: 03 ACRN: AA AMS CD: 060011				
	Packaging and Marking				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance           DOC         SUPPL           REL CD         MILSTRIP         ADDR         SIG CD         MARK FOR         TP CD           001         W52H0930582791         W45G19         J         1           DEL REL CD         QUANTITY         DEL DATE           001         5         20-MAY-2004				
	FOB POINT: Destination				
	SHIP TO: PARCEL POST ADDRESS  (W45G19) SR W390 RED RIVER MUNITIONS CTR  HIGHWAY 82 WEST CL V  GATE 44 BLDG 184  TEXARKANA TX 75507-5000				
	CONTRACT/DELIVERY ORDER NUMBER DAAE20-03-G-0001/0009				
0002	DATA ITEM			\$ <u>** NSP **</u>	\$** NSP **
	SECURITY CLASS: Unclassified				
	Contractor will prepare and deliver the technical data in accordance with the requirements, quantities and schedules set forth in the Contract Data Requirements Lists (DD Form 1423), Exhibit A.				
	A DD 250 IS NOT REQUIRED.				

# Reference No. of Document Being Continued PIIN/SIIN DAAE20-03-G-0001/0009 MOD/AMD

Page 4 of 10

Name of Offeror or Contractor: PEI ELECTRONICS, INC.

TEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	(End of narrative B001)				
	Inspection and Acceptance				
	INSPECTION: Origin ACCEPTANCE: Destination				

## Reference No. of Document Being Continued

PIIN/SIIN DAAE20-03-G-0001/0009

MOD/AMD

Page 5 of 10

Name of Offeror or Contractor: PEI ELECTRONICS, INC.

DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

Regulatory Cite \_\_\_\_\_ Title \_\_\_\_ Date

1 52.210-4501 DRAWINGS/SPECIFICATION MAR/1988

TACOM-RI

In addition to the drawing(s) and/or specifications listed below, other documents which are part of this procurement and which apply to Preservation/Packaging/Packing and Inspection and Acceptance are contained elsewhere.

The following drawing(s) and specifications are applicable to this procurement.

Drawings and Specifications in accordance with enclosed Technical Data Package Listing - TDPL 12972168 with revisions in effect as of N/A (except as follows):

ENGINEERING EXCEPTIONS: NO EXCEPTIONS

(CS6100)

#### Reference No. of Document Being Continued

PIIN/SIIN DAAE20-03-G-0001/0009

MOD/AMD

Page 6 of 10

Name of Offeror or Contractor: PEI ELECTRONICS, INC.

PACKAGING AND MARKING

Regulatory Cite \_\_\_\_\_ Title \_\_\_\_ Date

1 52.211-4503 PACKAGING REQUIREMENTS (COMMERCIAL) APR/2003

TACOM-RI

The preservation, packing, and marking requirements for the item identified above shall be accomplished in accordance with the performance requirements defined herein. The following Packaging requirements shall apply:

Preservation: COMMERCIAL Level of Packing: COMMERCIAL Quantity Per Unit Package: 001

QUANTITY OF UNIT PACKAGES PER INTERMEDIATE CONTAINER: PARAGRAPH 3

- 1. Packaging Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year, provide for multiple handling, redistribution and shipment by any mode and meet or exceed the following requirements.
- 1.1 Cleanliness Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not considered contaminants.
- 1.2 Preservation Items susceptible to corrosion of deterioration shall be provided protection by means of preservative coatings, volatile corrosion inhibitors, desiccants, waterproof and/or watervaporproof barriers.
- 1.3 Cushioning Items requiring protection from physical and mechanical damage (e.g., fragile, sensitive, material critical) or which could cause physical damage to other items, shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handling and shipment.
- 2. Unit package. A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton, or box.
  - 3. Unit Package Quantity. Unless otherwise specified, the unit package quantity shall be one each part, set assembly, kit, etc.
  - 4. Intermediate Package -Intermediate packaging is required whenever one or more of the following conditions exists:
    - a. the quantity is over one (1) gross of the same national stock number,
    - b. use enhances handling and inventorying,
    - ${\tt c}$  the exterior surfaces of the unit pack is a bag of any type, regardless of the size,
    - d. the unit pack is less than 64 cubic inches,
    - e the weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches.

Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

- 5. Packing:
- 5.1 Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.
- 5.2 Shipping Containers The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.
- 6. Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

#### Reference No. of Document Being Continued

PIIN/SIIN DAAE20-03-G-0001/0009

MOD/AMD

Page 7 of 10

Name of Offeror or Contractor: PEI ELECTRONICS, INC.

7.1 All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Date 15 Dec 02 including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive material will not identify the nature of the material.

- 7.2 Contractors and vendors shall apply address markings using a bar coded military shipment label (MSL) for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. The DD Form 250 or the commercial packing list shall have bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DDSP New Cumberland Facility, DDD San Joaquin, Red River Munitions Center and Anniston Munitions Center).
- 7.3 Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".
- 7.4 Military Shipping Label. The Army has developed software to create Military Shipment Labels. It's called Computer Automated Transportation Tool Military Shipment Label/Issue Receipt Release Document (CATT MSL/IRRD) and is available to anyone with a contract with the government. The software can be downloaded from the following website main page: http://www.asset-trak.com/catt/catt.htm. Or go directly to the software download page http://www.asset-trak.com/catt/msl\_irrd/msl\_irrddownload.htm. Be sure to bookmark this page for future releases of CATT MSL/IRRD.
- 8. Hazardous Materials: In addition to the general instructions listed above, hazardous materials or items as defined in CFR Title 49 are also subject to all applicable Department of Transportation regulations for packaging/packing, marking, labeling, container certification, and transport as listed in Code of Federal Regulations Title 49, Parts 100-180. If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.
- 9. Heat Treatment and Marking of Wood Packaging Materials: All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure tractability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. . Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.
- 10. Quality Assurance: The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.
- 11. SUPPLEMENTAL INSTRUCTIONS: THE SOFTWARE FOR DEVELOPMENT OF THE MSL IS CALLED DS2T. THE SOFTWARE CAN BE DOWNLOADED FROM HTTP://ASSET-TRAK.COM/DS2T/DS26T.HTM. ONCE AT THE WEBSITE, GO TO THE DS2T SUSTAINMENT COLUMN AND DOUBLE CLICK ON THE "SEE THE CATT TOOLS" LINK. A LASER PRINTER CAN BE USED TO PRINT THE MSL AND THE ASSOCIATED 2D SYMBOL. "THE PROGRAM ONLY PRINTS THE LINEAR BAR CODE IF THE FONTS ARE INSTALLED. IN ORDER TO INSTALL THE FONTS GO TO START ON YOUR WINDOWS MENU; THEN GO TO "SETTINGS", THEN "CONTROL PANEL", CLICK ON "FONTS", SELECT "FILE" FROM TOP LEFT DROP DOWN MENU, SELECT "INSTALL NEW FONT", USE DROP DOWN MENU (LEFT BOX) TO FIND CATT PROGRAM, SELECT (DOUBLE CLICK) THE "CATT" PROGRAM, (A SELECTION OF FONTS SHOULD APPEAR), DOUBLE CLICK ON "SELECT ALL", ONCE THE FONTS ARE SELECTED DOUBLE CLICK THE "OK" BUTTON. FOLLOW PROMPTS TO ACCEPT FONTS. THE FONTS WILL THEN BE COPIED TO THE CATT PROGRAM. ONCE THEY ARE COPIED RETURN TO THE PROGRAM. THE LINEAR BAR CODES SHOULD APPEAR ON YOUR SCREEN AND SHOULD ALSO PRINT OUT IN THE APPROPRIATE POSITIONS.

(End of clause)

Reference No. of Document Being Continued Page 8 of 10 **CONTINUATION SHEET** PIIN/SIIN DAAE20-03-G-0001/0009 MOD/AMD Name of Offeror or Contractor: PEI ELECTRONICS, INC. INSPECTION AND ACCEPTANCE Regulatory Cite Title Date 1 52.246-2 INSPECTION OF SUPPLIES - FIXED-PRICE AUG/1996 52.246-11 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT FEB/1999 The Contractor shall comply with the higher-level quality standard selected below, (If more than one standard is listed, the offeror shall indicate its selection by checking the appropriate block.) Number Date Tailoring ( ) QUALITY MANAGEMENT SYSTEMS - REQUIREMENTS ISO 9001:2000 13 DEC 2000 TAILORED BY EXCLUDING PARAGRAPHS 7.2, 7.3,7.4,7.5.1, AND 7.5.2 ( ) QUALITY SYSTEMS - MODEL FOR QA ISO 9003 18 JUL 1994 UNTAILORED

(End of clause)

(EF6002)

	CONTIN	II A TION	CHEET	Refe	Page 9 of 10					
	CONTIN	UATION	SHEET	PIIN/SIIN DAAE20-03-G-0001/0009		MOD/AMD				
Name	of Offeror or	Contractor	PEI ELECTR	ONICS, INC.					1	
CONTRAC	CT ADMINISTRA	ATION DATA								
							JOB			
LINE	PRON/	OBLG					ORDER	ACCOUNTI	NG	OBLIGATED
<u>ITEM</u>	AMS CD	ACRN STAT	ACCOUNTING	CLASSIFICATION			NUMBER	STATION		AMOUNT
0001AA	M1310644M1	AA 2	97 X4930A	C9G 6D	26KB	S11116		W52H09	\$	78,675.00
06	50011									
								TOTAL	\$	78,675.00
SERVICE	1						ACCOU	NTING		OBLIGATED
NAME		AL BY ACRN	ACCOUNTING	CLASSIFICATION			STATIO	ON		AMOUNT
Army		AA	97 X4930A	C9G 6D	26KB	S11116	W52H0	9	\$_	78,675.00
								TOTAL	\$	78,675.00

## Reference No. of Document Being Continued

MOD/AMD

Page 10 of 10

Name of Offeror or Contractor: PEI ELECTRONICS, INC.

PIIN/SIIN DAAE20-03-G-0001/0009

LIST OF ATTACHMENTS

List of		Number

Addenda Title Date of Pages Transmitted By Exhibit A CONTRACT DATA REQUIREMENTS LIST 002

Attachment 001 DOCUMENT SUMMARY LIST 001